Author Index

Abe, K., see Kawagoe, J. (599) 197
Akaneya, Y., see Enokido, Y. (599) 261
Atchison, W.D., see Hewett, S.J. (599) 317
Atchison, W.D., see Hewett, S.J. (599) 324
Auerbach, S.B., see Grauer, S.M. (599) 277
Auguste, P., Hugues, M., Borsotto, M., Thibault, J., Romey, G., Coppola, T. and Lazdunski, M.
Characterization and partial purification from pheochromocytoma cells of an endogenous equivalent of scyllatoxin, a scorpion toxin which blocks small conductance Ca^{2+}-activated K^+ channels (599) 230

Bains, J.S., Potyok, A. and Ferguson, A.V.
Angiotensin II actions in paraventricular nucleus: functional evidence for neurotransmitter role in efferents originating in subfornical organ (599) 223
Balfagón, G., see Ferrer, M. (599) 186
Barlow, S.M., Finan, D.S. and Rowland, S.G.
Mechanically evoked perioral reflexes in infants (599) 158
Barr, G.A. and Wang, S.
Peripheral and central administration of cocaine produce conditioned odor preferences in the infant rat (599) 181
Beninger, R.J., see Cockhill, J. (599) 57
Bennett, G.S., see Hollander, B.A. (599) 237
Bisserbe, J.C., Pascal, O., Deckert, J. and Mazière, B.
Potential use of DPCPX as probe for in vivo localization of brain A_1 adenosine receptors (599) 6
Boegman, R.J., see Cockhill, J. (599) 57
Borsotto, M., see Auguste, P. (599) 230

Calaresu, F.R., see McKitrick, D.J. (599) 215
Charles, A.C., see Martin, F.C. (599) 13
Chung, J.M., Leem, J.W. and Kim, S.H.
Somatic afferent fibers which continuously discharge after being isolated from their receptors (599) 29
Coale, A., see Gruen, R.J. (599) 51
Cockhill, J., Jhamandas, K., Boegman, R.J. and Beninger, R.J.
Action of picolinic acid and structurally related pyridine carboxylic acids on quinolinic acid-induced cortical cholinergic damage (599) 57
Conti, F., Fabri, M. and Minelli, A.
Numerous SP-positive pyramidal neurons in cat neocortex are glutamate-positive (599) 140
Cooper, S.J. and Greenwood, S.E.
The β-carboline abecarnil, a novel agonist at central benzodiazepine receptors, influences saccharin and salt taste preferences in the rat (599) 144
Coppola, T., see Auguste, P. (599) 230

Daugé, V., Kalivas, P.W., Duffy, T. and Roques, B.P.
Effect of inhibiting enkephalin catabolism in the VTA on motor activity and extracellular dopamine (599) 209
Deckert, J., see Bisserbe, J.C. (599) 6
Destombes, J., Horcholle-Bossavit, G. and Thiesson, D.
Distribution of glycinergic terminals on lumbar motoneurons of the adult cat: an ultrastructural study (599) 353
Duffy, T., see Daugé, V. (599) 209
Duron, B., see Wallois, F. (599) 105

Encabo, A., see Ferrer, M. (599) 186
Enokido, Y., Akaneya, Y., Niinobe, M., Mikoshiba, K. and Hatanaka, H.
Basic fibroblast growth factor rescues CNS neurons from cell death caused by high oxygen atmosphere in culture (599) 261

Fabri, M., see Conti, F. (599) 140
Ferguson, A.V., see Bains, J.S. (599) 223
Ferrer, M., Encabo, A., Marín, J., Peiró, C., Redondo, J., Rosa de Sagarra, M.ª and Balfagón, G.
Comparison of the vasoconstrictor responses induced by endothelin and phorbol 12,13-dibutyrate in bovine cerebral arteries (599) 186
Finan, D.S., see Barlow, S.M. (599) 158
Friedhoff, A.J., see Gruen, R.J. (599) 51

Gintzler, A.R., see Sublette, E. (599) 165
Goldstein, G., see Quik, M. (599) 117
Goto, I., see Muramoto, T. (599) 309
Grauer, S.M., Tao, R. and Auerbach, S.B.
Morphine induces an increase in extracellular serotonin in the rat diencephalon (599) 277
Greenwood, S.E., see Cooper, S.J. (599) 144
Greer, M.A., see Inukai, T. (599) 161
Greer, S.E., see Inukai, T. (599) 161
Grooms, S.Y., see Jones, L.S. (599) 338
Gruen, R.J., Friedhoff, A.J., Coale, A. and Moghaddam, B.
Tonic inhibition of striatal dopamine transmission: effects of benzodiazepine and $GABA_A$ receptor antagonists on extracellular dopamine levels (599) 51

Hatanaka, H., see Enokido, Y. (599) 261
Hatch, W.C., see Lyman, W.D. (599) 34
Hewett, S.J. and Atchison, W.D.
Disruption of synaptosomal calcium channel function by Lambert–Eaton myasthenic immunoglobulin is serum-dependent (599) 317
Hewett, S.J. and Atchison, W.D.
Specificity of Lambert–Eaton Myasthenic Syndrome immunoglobulin for nerve terminal calcium channels (599) 324
Higo, S., Kawano, J., Matsuyama, T. and Kawamura, S.
Differential projections to the superior collicular layers from the perihypoglossal nuclei in the cat (599) 19
Hollander, B.A. and Bennett, G.S.
Characterization of a neurofilament-associated kinase that phosphorylates the middle molecular mass component of chicken neurofilaments (599) 237
Homma, I., see Yamamoto, Y. (599) 272
Horcholle-Bossavit, G., see Destombes, J. (599) 353
Hugues, M., see Auguste, P. (599) 230

Iizuka, H. and Umeda, M.
Different ability in PC12 clones to recover from MMC toxicity following NGF treatment (599) 1
Inukai, T., Wang, X., Greer, S.E. and Greer, M.A.
Cell swelling induced by medium hyposmolarity or isosmolar urea stimulates gonadotropin-releasing hormone secretion from perifused rat median eminence (599) 161

Jhamandas, K., see Cockhill, J. (599) 57
Jones, L.S., Grooms, S.Y., Lapadula, D.M. and Lewis, D.V.
Protein synthesis inhibition blocks maintenance but not induction of epileptogenesis in hippocampal slice (599) 338
Jounieaux, V., see Wallois, F. (599) 105

Kakigi, T. and Maeda, K.
Effect of serotonergic agents on regional concentrations of somatostatin- and neuropeptide Y-like immunoreactivities in rat brain (599) 45
Kalivas, P.W., see Daugé, V. (599) 209
Kamada, T., see Ohtsuki, T. (599) 246
Katoh, K., Tohyama, M., Noguchi, K. and Senba, E.
Axonal flow blockade induces α-CGRP mRNA expression in rat motoneurons (599) 153
Kawagoe, J., Abe, K. and Kogure, K.
Different thresholds of HSP70 and HSC70 heat shock mRNA induction in post-ischemic gerbil brain (599) 197
Kawamura, S., see Higo, S. (599) 19
Kawano, J., see Higo, S. (599) 19
Kim, S.H., see Chung, J.M. (599) 29
Kim, T., see Leibowitz, S.F. (599) 148
Kitagawa, K., see Ohtsuki, T. (599) 246
Kitamoto, T., see Muramoto, T. (599) 309
Kogure, K., see Kawagoe, J. (599) 197
Krukoff, T.L., see McKitrick, D.J. (599) 215
Kuwabara, K., see Ohtsuki, T. (599) 246

Langdon, R.B. and Sur, M.
The effects of selective glutamate receptor antagonists on synchronized firing bursts in layer III of rat visual cortex (599) 283

Lapadula, D.M., see Jones, L.S. (599) 338
Lazdunski, M., see Auguste, P. (599) 230
Le, A.D., see Walker, M.J.K. (599) 204
Leem, J.W., see Chung, J.M. (599) 29
Lehmann, J., Valentino, R. and Robine, V.
Cortical norepinephrine release elicited in situ by *N*-methyl-D-aspartate (NMDA) receptor stimulation: a microdialysis study (599) 171
Leibowitz, S.F. and Kim, T.
Impact of a galanin antagonist on exogenous galanin and natural patterns of fat ingestion (599) 148
Lewis, D.V., see Jones, L.S. (599) 338
Loomis, C.W., Vyas, D. and Sherman, S.E.
Intrathecal oxymetazoline does not produce neurotoxicity in the spinal cord of the rat (599) 73
Lyman, W.D., Hatch, W.C., Pousada, E., Stephney, G., Rashbaum, W.K. and Weidenheim, K.M.
Human fetal myelinated organotypic cultures (599) 34

Macron, J.M., see Wallois, F. (599) 105
Maeda, K., see Kakigi, T. (599) 45
Maestre, G.E., Tate, B., Majocha, R.E. and Marotta, C.A.
Cell surface extensions associated with overexpression of Alzheimer β/A4 amyloid (599) 64
Majocha, R.E., see Maestre, G.E. (599) 64
Marín, J., see Ferrer, M. (599) 186
Marotta, C.A., see Maestre, G.E. (599) 64
Martin, F.C., Charles, A.C., Sanderson, M.J. and Merrill, J.E.
Substance P stimulates IL-1 production by astrocytes via intracellular calcium (599) 13
Maruyama, M., Takeda, K. and Nakazawa, M.
Evidence that [^{3}H]glutamate binding sites are masked by biologically relevant endogenous factor on cell membranes of frog spinal cord (599) 135
Matsumoto, M., see Ohtsuki, T. (599) 246
Matsuyama, T., see Higo, S. (599) 19
Mazière, B., see Bisserbe, J.C. (599) 6
McAllen, R.M., see Shafton, A.D. (599) 253
McKitrick, D.J., Krukoff, T.L. and Calaresu, F.R.
Expression of *c-fos* protein in rat brain after electrical stimulation of the aortic depressor nerve (599) 215
Merrill, J.E., see Martin, F.C. (599) 13
Mikoshiba, K., see Enokido, Y. (599) 261
Minelli, A., see Conti, F. (599) 140
Moghaddam, B., see Gruen, R.J. (599) 51
Morin, L.P.
Serotonergic reinnervation of the hamster suprachiasmatic nucleus and intergeniculate leaflet without functional circadian rhythm recovery (599) 98
Muramoto, T., Kitamoto, T., Tateishi, J. and Goto, I.
Successful transmission of Creutzfeldt–Jakob disease from human to mouse verified by prion protein accumulation in mouse brains (599) 309
Myhrer, T. and Paulsen, R.E.
Memory dysfunction following disruption of glutamergic systems in the temporal region of the rat: effects of agonistic amino acids (599) 345
Mytilineou, C., see Park, T.H. (599) 83

Nakazawa, M., see Maruyama, M. (599) 135
Niinobe, M., see Enokido, Y. (599) 261
Noguchi, K., see Katoh, K. (599) 153

Ohtsuki, T., Matsumoto, M., Kuwabara, K., Kitagawa, K., Suzuki, K., Taniguchi, N. and Kamada, T.
Influence of oxidative stress on induced tolerance to ischemia in gerbil hippocampal neurons (599) 246
Oldfield, B.J., see Shafton, A.D. (599) 253
Onimaru, H., see Yamamoto, Y. (599) 272

Park, T.H. and Mytilineou, C.
Protection from 1-methyl-4-phenylpyridinium (MPP^+) toxicity and stimulation of regrowth of MPP^+-damaged dopaminergic fibers by treatment of mesencephalic cultures with EGF and basic FGF (599) 83
Pascal, O., see Bisserbe, J.C. (599) 6
Paulsen, R.E., see Myhrer, T. (599) 345
Peiró, C., see Ferrer, M. (599) 186
Philie, J., see Quik, M. (599) 117
Poree, L.R. and Schramm, L.P.
Interaction between medullary and cervical regulation of renal sympathetic activity (599) 297
Poree, L.R. and Schramm, L.P.
Role of cervical neurons in propriospinal inhibition of thoracic dorsal horn neurons (599) 302
Potyok, A., see Bains, J.S. (599) 223
Poulos, C.X., see Walker, M.J.K. (599) 204
Pousada, E., see Lyman, W.D. (599) 34

Quik, M., Philie, J. and Goldstein, G.
Thymopoietin, a thymic polypeptide, prevents nicotinic agonist-induced morphological changes in neonatal muscle cells in culture (599) 117

Rashbaum, W.K., see Lyman, W.D. (599) 34
Redondo, J., see Ferrer, M. (599) 186
Robine, V., see Lehmann, J. (599) 171
Romey, G., see Auguste, P. (599) 230
Roques, B.P., see Daugé, V. (599) 209
Rosa de Sagarra, M.ª, see Ferrer, M. (599) 186
Rowland, S.G., see Barlow, S.M. (599) 158

Sanderson, M.J., see Martin, F.C. (599) 13
Schneider, S.P.
Slow potentials activated by afferent and direct stimulation in spinal interneurons of laminae III–V (599) 129
Schramm, L.P., see Poree, L.R. (599) 297
Schramm, L.P., see Poree, L.R. (599) 302
Senba, E., see Katoh, K. (599) 153
Senba, E., see Yao, G.L. (599) 333
Shafton, A.D., Oldfield, B.J. and McAllen, R.M.
CRF-like immunoreactivity selectively labels preganglionic sudomotor neurons in cat (599) 253
Sherman, S.E., see Loomis, C.W. (599) 73
Stephney, G., see Lyman, W.D. (599) 34
Sublette, E. and Gintzler, A.R.
Stimulus frequency and intensity: critical determinants of opioid enhancement or inhibition of evoked methionine-enkephalin release (599) 165
Sur, M., see Langdon, R.B. (599) 283
Suzuki, K., see Ohtsuki, T. (599) 246

Takeda, K., see Maruyama, M. (599) 135
Tang, F., see Yung, K.K.L. (599) 175
Taniguchi, N., see Ohtsuki, T. (599) 246
Tao, R., see Grauer, S.M. (599) 277
Tate, B., see Maestre, G.E. (599) 64
Tateishi, J., see Muramoto, T. (599) 309
Thibault, J., see Auguste, P. (599) 230
Thiesson, D., see Destombes, J. (599) 353
Tohyama, M., see Katoh, K. (599) 153
Tohyama, M., see Yao, G.L. (599) 333

Umeda, M., see Iizuka, H. (599) 1

Vacca-Galloway, L.L., see Yung, K.K.L. (599) 175
Valentino, R., see Lehmann, J. (599) 171
Vyas, D., see Loomis, C.W. (599) 73

Walker, M.J.K., Le, A.D. and Poulos, C.X.
Effects of naltrindole and nor-binaltorphimine treatment on antinociception induced by sub-acute selective μ opioid receptor blockade (599) 204
Wallois, F., Macron, J.M., Jounieaux, V. and Duron, B.
Influence of trigeminal nasal afferents on bulbar respiratory neuronal activity (599) 105
Wang, S., see Barr, G.A. (599) 181
Wang, X., see Inukai, T. (599) 161
Weidenheim, K.M., see Lyman, W.D. (599) 34

Yamamoto, Y., Onimaru, H. and Homma, I.
Effect of substance P on respiratory rhythm and pre-inspiratory neurons in the ventrolateral structure of rostral medulla oblongata: an in vitro study (599) 272
Yao, G.L., Tohyama, M. and Senba, E.
Histamine-caused itch induces Fos-like immunoreactivity in dorsal horn neurons: effect of morphine pretreatment (599) 333
Yung, K.K.L., Tang, F. and Vacca-Galloway, L.L.
Decrease of enkephalins in cerebellum during wobbler mouse motoneuron disease (599) 175